



PLOCHÉ PODLOŽKY - PLP STN 02 1702	Veľkosť	d ₁		d ₂		h			Hmotnosť 1000 ks	Katalógové číslo
		men.	max.	men.	min.	men.	min.	max.		
Typ „A“ 	5	5,3	5,48	10	9,64	1,0	0,9	1,1	0,438	PLP 05.053.010
	6	6,4	6,62	12	11,57	1,6	1,4	1,8	0,994	PLP 06.064.016
	7	7,4	7,62	14	13,57	1,6	1,4	1,8	1,370	PLP 07.074.016
	8	8,4	8,62	16	15,57	1,6	1,4	1,8	1,800	PLP 08.084.016
	10	10,5	10,77	20	19,48	2,0	1,8	2,2	3,530	PLP 10.105.020
	12	13,0	13,27	24	23,48	2,5	2,3	2,7	6,200	PLP 12.130.025
	14	15,0	15,27	28	27,48	2,5	2,3	2,7	8,520	PLP 14.150.025
	16	17,0	17,27	30	29,48	3,0	2,7	3,3	11,200	PLP 16.170.030
	18	19,0	19,33	34	33,38	3,0	2,7	3,3	14,600	PLP 18.190.030
	20	21,0	21,33	37	36,38	3,0	2,7	3,3	17,000	PLP 20.210.030
	22	23,0	23,33	39	38,38	3,0	2,7	3,3	18,100	PLP 22.230.030
Typ „B“ 	1,6	1,7	1,84	4	3,70	0,3	0,25	0,35	0,024	PLP 016.017.003
	2	2,2	2,34	5	4,70	0,3	0,25	0,35	0,037	PLP 020.022.003
	2,5	2,7	2,84	6	5,70	0,5	0,45	0,55	0,089	PLP 025.027.005
	3	3,2	3,38	7	6,64	0,5	0,45	0,55	0,119	PLP 030.032.005
	3,5	3,7	3,88	8	7,64	0,5	0,45	0,55	0,155	PLP 035.037.005
	4	4,3	4,48	9	8,64	0,8	0,70	0,90	0,308	PLP 040.043.008
	5	5,3	5,48	10	9,64	1,0	0,90	1,10	0,443	PLP 050.053.010
	6	6,4	6,62	12	11,57	1,6	1,40	1,80	1,020	PLP 060.064.016
	7	7,4	7,62	14	13,57	1,6	1,40	1,80	1,390	PLP 070.074.016
	8	8,4	8,62	16	15,57	1,6	1,40	1,80	1,820	PLP 080.084.016
	10	10,5	10,77	20	19,48	2,0	1,80	2,20	3,570	PLP 100.105.020
	12	13,0	13,27	24	23,48	2,5	2,30	2,70	6,270	PLP 120.130.025
	14	15,0	15,27	28	27,48	2,5	2,30	2,70	8,610	PLP 140.150.025
	16	17,0	17,27	30	29,48	3,0	2,70	3,30	11,300	PLP 160.170.030
	18	19,0	19,33	34	33,38	3,0	2,70	3,30	14,700	PLP 180.190.030
	20	21,0	21,33	37	36,38	3,0	2,70	3,30	17,200	PLP 200.210.030
	22	23,0	23,33	39	38,38	3,0	2,70	3,30	18,300	PLP 220.230.030
Tvrdosť: min. 140 HV										
Povrchová úprava podľa želania: zinok, fosfát, chromát, čiernenie										
Poznámka:										

PLP 1/1



PRUŽINY
FEDERN
SPRINGS

Váš odborný autorizovaný predajca:

PFS a. s.
Štverníky 662
906 13 Brezová pod Bradlom, SLOVAKIA
Telefón: ++421 34 554 111
Fax: ++421 34 942 860, 942 317, 942 864